



PATENT

In re application of
Shigefumi Odaohhara et al.

: Date: May 6, 2002

Serial Number: 10/074,965

: Group Art Unit: Unknown

Filed: 02/13/02

: Examiner: Unknown

Title: Method and Apparatus for Controlling
Power and Power Loss

: IBM Corporation
: Personal Systems Group
: Intellectual Property Law
: Dept. 9CCA/002-2
: Post Office Box 12195
: Research Triangle Park, NC 27709-2195

Submission of Corrected Drawings Under 37 CFR 1.84

**Assistant Commissioner for Patents
Washington, DC 20231**

Dear Sir:

Responsive to the Notice to File Corrected Application Papers mailed on March 11, 2002,
enclosed are:

1. Six (8) sheets of formal drawings; and
2. Part 2 - return copy.

Respectfully submitted,

By:

J. Bruce Schelkopf
Reg. No. 43,901
Telephone No. (919) 543-4753

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to, ASSISTANT COMMISSIONER FOR PATENTS, WASHINGTON, DC 20231	
on	May 6, 2002
Date of Deposit	
Ira Richardson	<i>Ira Richardson</i>
Name of Person Mailing Document or Fee	Signature of Person Mailing Document or Fee

JP9 2000 0429US1

1

**COPY OF PAPERS
ORIGINALLY FILED**




COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/074,965	02/13/2002	Shigefumi Odaohara	JP920000429US1

CONFIRMATION NO. 6915

FORMALITIES LETTER



OC000000007615739

25299
IBM CORPORATION
PO BOX 12195
DEPT 9CCA, BLDG 002
RESEARCH TRIANGLE PARK, NC 27709

Date Mailed: 03/11/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm (1 inch), a left side margin of at least 2.5 cm (1 inch), a right side margin of at least 1.5 cm (5/8 inch), and a bottom margin of at least 1.0 cm (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

WLCorona
Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

**COPY OF PAPERS
ORIGINALLY FILED**

PC COMPANY
LEGAL DEPARTMENT
RALEIGH
02 MAR 14 AM 1:40